

# **MODEL: ME2-CAM**

TOP FILL CONFIGURATION

**Industry Solutions Since 1949** 

#### SEMI-AUTOMATIC NET WEIGHT LIQUID FILLING MACHINES - ME SERIES

# NET WEIGHT FILLING & CLOSING FOR 1 LITER AND 1 GALLON METAL OR PLASTIC CONTAINERS



Ideal-Pak Model ME2-CAM Two Head Semi-Automatic Net Weight Liquid Filling Machine with Dual Vented Cone Nozzles - Top Fill Configuration, plus 1 Liter, 1 Gallon 2340HR Roller Closer and LPA0000 Lid Placer (optional).

#### PRODUCT OVERVIEW

The Ideal-Pak PERFORMANCE Line is the economical Semi-Automatic Filling solution. Electronic net weight filling, pneumatic controls, Rice Lake touch pad weight control, single or double filling positions and a variety of closing options handle a wide variety of applications and container sizes.

#### **FEATURES**

- Fill by Weight (Electronic Net Weight Filling).
- Dual Ideal-Pak Cone Nozzles configured for top filling.\*
- 1 Liter and 1 Gallon Metal or Plastic Containers.
- 1 Liter and 1 Gallon Roller closer (optional).

- Rice Lake Weight Controller and User Interface.
- Table-Top Chain Conveyor.
- Heavy-duty Casters with locks for portability.
- · Compact machine footprint.
- · Rigid Steel Frame Construction.

#### **CONTAINER SIZE**

Small Containers				
	1/2 Pint	•	Pails	
	Pints		Kegs	
•	Quarts		Drums	
•	Gallons		Totes	

#### **INDUSTRIES SERVED**

Paints & Coatings	
Chemicals	
Lubricants	
Food & Beverage	

### **ABOUT IDEAL-PAK**

Ideal-Pak Liquid Filling Machines are designed to increase your yields, productivity and efficiency. Choose from Automatic to Semi-Automatic or Manual Configurations to fill small containers up to drums and totes. Ideal-Pak customers are in the paint and coatings, lubricants, chemicals and food & beverage industries.

Ideal-Pak is also your first source for a wide variety of closing machines, lid placers and precision nozzles, plus parts and service, (including Neupak).

May be covered by one or more of the following U.S. Patents: #5,505,233, #5,823,406, #6,148,877, #6,595,250






<sup>\*</sup>Bottom Fill and Inside Fill Available

# EAL-PAI Filling & Packaging Line Solutions

## Semi-Automatic Net Weight Liquid Filling Machine

MACHINE SPECIFICATIONS		
Electrical	120 VAC, 1Ø, 60HZ	
Air (per head)	60 CFM @ 80 - 90 PSI (Clean Dry Air)	
Speed*	2 Head	
Quart	8 - 12 CPM	
Gallon	6 - 10 CPM	
Accuracy: To Within ± .10 lbs		

<sup>\*</sup>Fill rates will vary depending on container size, container shape, fill opening, accuracy required, product supply, as well as individual product characteristics and operation mode.



### **OPTIONS**

- Additional Fill Carts (up to 2 heads)
- · Additional Product Contact Parts
- · Air Diaphram Pump Control
- DFS™ Upgrade (Limited Nozzles)
- · Extended Plug & Bottom Up Filling
- · Flush Trough for Remote Cleaning
- · Gravity Roller Conveyors
- · Hand Capper
- · Lagable Level Pads
- Nitrogen Purge Controls
- · Friction Lid Press Plate
- · Product Contact Parts Mounted on Fill Cart
- · Purgeable Instrument Bezel
- · Recommended Spare Parts Package
- Remote air operated Flush Control Box for Filling Module
- Sanitary Product Contact Parts
- Type X NFPA 496 Control Module

Subject to changes and modifications without

May be covered by one or more of the following U.S. Patents: #5,505,233, #5,823,406, #6,148,877, #6,595,250

ME2-CAM 7-2015





